Supporting information:

The CE Mark below was issued with your delivery ticket, affixed to the packaging or supplied with the accompanying documentation in accordance with the CPR regulations. Accompanying documentation may include the quotation, order acknowledgement or invoice (delivered either in hard-copy or electronic format within an email).

13 Reflecta Sound - Fai		BS EN 15102:2007+A1:2011 CE Mark ref. JCW2 Dated 01 July 2013 Decorative wall coverings - Roll and panel form products JCW Group, Unit 32-34 Waters Meeting Development Britannia Way, Bolton, BL2 2HH bric/Art Panels (25mm to 50mm thickness inclusive)			
Intended use: Intern	Intended use: Internal finishes of walls, partitions and ceilings (Table ZA 2 - As internal finishes for other end uses, mentioned in the mandate. Note 1 - Acoustic control)				
		Attestation Level 4			
Essential Characteristics	Declared values		Test method		
Reaction to Fire	Class F. Not applicable, as intended use is stated as 'acoustic control' to Table ZA.2, Note 1		EN 13501-1. Section 4.1b EN 15102		
Release of Formaldehyde	NPD. No Testing Required. No formaldehyde or products containing formaldehyde are added during the manufacturing process of the wall covering product, and the raw materials are declared by the supplier to contain less than 120 mg/kg of formaldehyde		EN 12149, Test C. Section 4.2 EN 15102		
Heavy Metals and Specific Elements	NPD. No Testing Required. None of the substances given in Table 2 are added during the wall covering manufacturing process, and all the raw materials are declared by the supplier to meet the requirements of Table 2			EN 12149, Test A. Section 4.3, Clause 4.3.1.1 EN 15102	
Vinyl Chloride Monomer (VCM)	NPD. No Testing Required. No polyvinyl chloride or products containing vinyl chloride are used during the manufacturing process of the wall covering product and the raw materials used are declared by the supplier to contain less than 1 mg/kg of VCM			EN 12149, Test B. Section 4.3.2 EN 15102	
Sound Absorption	A			EN ISO 354 & EN ISO 11654. Section 4.4 EN 15102	
Thermal Reistance	Not applicable. Not intended for thermal resistance			EN 12667. Section 4.5 EN 15102	
Declaration of Performance	In accordance with the CPR regulations, the Declaration of Performance (DoP) is held on our web site http://www.jcwgroup.co.uk/ or has been supplied with the product's accompanying documentation. The appropriate DoP is referenced JCW2 on the CE Regulations page.			CPR DoP Electronic Provision No. 305/2011	

Please contact us should you require any further information.

JCW Group Ltd

CPR Declaration of Performance (DoP)

DoP reference:

JCW2 DOP

1. Unique identification code of the product type: EN 15102:2007+A1:2011 Decorative wall coverings - Roll and panel form products (Reflecta Sound - Fabric/Art Panels)

2. Identification of the construction product:

Reflecta Sound – Fabric/Art Panels (Thickness 25mm to 50mm inclusive)

3. Intended use:

Internal finishes of walls, partitions and ceilings (Table ZA.2 - As internal finishes for other end uses, mentioned in the mandate. Note 1 - Acoustic control)

4. Company name:

JCW Acoustic Supplies Ltd Unit 32-34 Waters Meeting Development Britannia Way, Bolton, BL2 2HH

5. Authorised representative: Peter Davis (address as above)

6. System of assessment:

Attestation Level 4

- 7. Standard and notified body: Not applicable
- 8. European Technical Assessment (ETA): Not applicable

9. Declared performance:

Essential Characteristics	Declared values	Test method
Reaction to Fire	Class F. Not applicable, as intended use is stated as 'acoustic control' to Table ZA.2, Note 1	EN 13501-1. Section 4.1b EN 15102
Release of Formaldehyde	NPD. No Testing Required. No formaldehyde or products containing formaldehyde are added during the manufacturing process of the wall covering product, and the raw materials are declared by the supplier to contain less than 120 mg/kg of formaldehyde	EN 12149, Test C. Section 4.2 EN 15102
Heavy Metals and Specific Elements	NPD. No Testing Required. None of the substances given in Table 2 are added during the wall covering manufacturing process, and all the raw materials are declared by the supplier to meet the requirements of Table 2	EN 12149, Test A. Section 4.3, Clause 4.3.1.1 EN 15102
Vinyl Chloride Monomer (VCM)	NPD. No Testing Required. No polyvinyl chloride or products containing vinyl chloride are used during the manufacturing process of the wall covering product and the raw materials used are declared by the supplier to contain less than 1 mg/kg of VCM	EN 12149, Test B. Section 4.3.2 EN 15102
Sound Absorption	A	EN ISO 354 & EN ISO 11654. Section 4.4 EN 15102
Thermal Reistance	Not applicable. Not intended for thermal resistance	EN 12667. Section 4.5 EN 15102
Declaration of Performance	In accordance with the CPR regulations, the Declaration of Performance (DoP) is held on our web site http://www.jcvgroup.co.uk/ or has been supplied with the product's accompanying documentation. The appropriate DoP is referenced JCW2 on the CE Regulations page.	CPR DoP Electronic Provision No. 305/2011

10. Declaration

The performance of the product identified in points 1 & 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4. Signed for any on behalf of the manufacturer by Mr Peter Davis (Commercial Director), issued at the address given in point 4, 01 July 2013.



Supporting information:

The CE Mark below was issued with your delivery ticket, affixed to the packaging or supplied with the accompanying documentation in accordance with the CPR regulations. Accompanying documentation may include the quotation, order acknowledgement or invoice (delivered either in hard-copy or electronic format within an email).

		BS EN 15102:2007+A1:2011 CE Mark ref. JCW3 Dated 01 July 2013 Decorative wall coverings - Roll and panel form products JCW Group, Unit 32-34 Waters Meeting Development Britannia Way, Bolton, BL2 2HH t Resistant Panels (28mm to 53mm thickness inclusive) Dns and Ceilings (Table ZA2 - As internal finishes for other end uses, mentioned in the mandate. Note 1 - Acoustic control)			
Attestation Level 4					
Essential Characteristics	Declared values		Test method		
Reaction to Fire	Class F. Not applicable, as intended use is stated as 'acoustic control' to Table ZA.2, Note 1		EN 13501-1. Section 4.1b EN 15102		
Release of Formaldehyde	NPD. No Testing Required. No formaldehyde or products containing formaldehyde are added during the manufacturing process of the wall covering product, and the raw materials are declared by the supplier to contain less than 120 mg/kg of formaldehyde		EN 12149, Test C. Section 4.2 EN 15102		
Heavy Metals and Specific Elements	NPD. No Testing Required. None of the substances given in Table 2 are added during the wall covering manufacturing process, and all the raw materials are declared by the supplier to meet the requirements of Table 2		EN 12149, Test A. Section 4.3, Clause 4.3.1.1 EN 15102		
Vinyl Chloride Monomer (VCM)	NPD. No Testing Required. No polyvinyl chloride or products containing vinyl chloride are used during the manufacturing process of the wall covering product and the raw materials used are declared by the supplier to contain less than 1 mg/kg of VCM		EN 12149, Test B. Section 4.3.2 EN 15102		
Sound Absorption	A		EN ISO 354 & EN ISO 11654. Section 4.4 EN 15102		
Thermal Reistance	Not applicable. Not intended for thermal resistance		EN 12667. Section 4.5 EN 15102		
Declaration of Performance	In accordance with the CPR regulations, the Declaration of Performance (DoP) is held on our web site http://www.jcwgroup.co.uk/ or has been supplied with the product's accompanying documentation. The appropriate DoP is referenced JCW3 on the CE Regulations page.			CPR DoP Electronic Provision No. 305/2011	

Please contact us should you require any further information.

JCW Group Ltd

CPR Declaration of Performance (DoP)

DoP reference:

JCW3 DOP

1. Unique identification code of the product type:

EN 15102:2007+A1:2011 Decorative wall coverings - Roll and panel form products (Reflecta Sound – Impact Resistant Panels)

2. Identification of the construction product:

Reflecta Sound - Impact Resistant Panels (Thickness 28mm to 53mm inclusive)

3. Intended use:

Internal finishes of walls, partitions and ceilings (Table ZA.2 - As internal finishes for other end uses, mentioned in the mandate. Note 1 - Acoustic control)

4. Company name:

JCW Acoustic Supplies Ltd Unit 32-34 Waters Meeting Development Britannia Way, Bolton, BL2 2HH

5. Authorised representative:

Peter Davis (address as above)

- 6. System of assessment: Attestation Level 4
- 7. Standard and notified body: Not applicable
- 8. European Technical Assessment (ETA): Not applicable

9. Declared performance:

Essential Characteristics	Declared values	Test method
Reaction to Fire	Class F. Not applicable, as intended use is stated as 'acoustic control' to Table ZA.2, Note 1	EN 13501-1. Section 4.1b EN 15102
Release of Formaldehyde	NPD. No Testing Required. No formaldehyde or products containing formaldehyde are added during the manufacturing process of the wall covering product, and the raw materials are declared by the supplier to contain less than 120 mg/kg of formaldehyde	EN 12149, Test C. Section 4.2 EN 15102
Heavy Metals and Specific Elements	NPD. No Testing Required. None of the substances given in Table 2 are added during the wall covering manufacturing process, and all the raw materials are declared by the supplier to meet the requirements of Table 2	EN 12149, Test A. Section 4.3, Clause 4.3.1.1 EN 15102
Vinyl Chloride Monomer (VCM)	NPD. No Testing Required. No polyvinyl chloride or products containing vinyl chloride are used during the manufacturing process of the wall covering product and the raw materials used are declared by the supplier to contain less than 1 mg/kg of VCM	EN 12149, Test B. Section 4.3.2 EN 15102
Sound Absorption	A	EN ISO 354 & EN ISO 11654. Section 4.4 EN 15102
Thermal Reistance	Not applicable. Not intended for thermal resistance	EN 12667. Section 4.5 EN 15102
Declaration of Performance	In accordance with the CPR regulations, the Declaration of Performance (DoP) is held on our web site http://www.jowgroup.co.uk/ or has been supplied with the product's accompanying documentation. The appropriate DoP is referenced JCW3 on the CE Regulations page.	CPR DoP Electronic Provision No. 305/2011

10. Declaration

The performance of the product identified in points 1 & 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4. Signed for any on behalf of the manufacturer by Mr Peter Davis (Commercial Director), issued at the address given in point 4, 01 July 2013.

Signature: Peter Davis